

AC2T


Safety Data Sheet

Spartan Mosquito Pro Tech

Issued 04/07/2020


SECTION 1- PRODUCT AND COMPANY IDENTIFICATION

Information listed below is based on 99.9% Boric Acid & >99.7% Sucrose. This product contains <= 9.0% Boric Acid & <= 90.8% Sucrose

| | | | |
|------------------------|--|--|---|
| PRODUCT/CHEMICAL NAME: | Spartan Mosquito Pro Tech | EMERGENCY PHONE NO. | 1-800-222-1222 |
| IDENTIFICATION: | Attractant Toxic Sugar Bait | HMIS/NEPA HAZARD RATING |  |
| COMPANY: | AC2T 8 Nemo Clark Dr. Laurel, MS 39443 | <div> 4 = Extreme 3 = Serious 2 = Moderate 1 = Minimal </div> | |

SECTION 2 - HAZARD IDENTIFICATION

Information listed below is based on 99.9% Boric Acid & >99.7% Sucrose. This product contains <= 9.0% Boric Acid & <= 90.8% Sucrose

| | | | |
|--|--|----------------|--|
| HAZARD CLASSIFICATION: | Repr 1B H360 | SYMBOL: |  GHS08 |
| <p>Potential Acute Health Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.</p> <p>Potential Chronic Health Effects: CARCINOGENIC EFFECTS: Not Available. MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. TERATOGENIC EFFECTS: Not Available.</p> <p>DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [POSSIBLE]. The substance may be toxic to kidneys, cardiovascular system, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organ damage.</p> | | | |
| HAZARD STATEMENT: | H360D - May damage fertility or unborn children. | OTHER HAZARDS: | Contact Poison Control 1-800-222-1222 |

SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS

Information listed below is based on 99.9% Boric Acid & >99.7% Sucrose. This product contains <= 9.0% Boric Acid & <= 90.8% Sucrose

| COMPOSITION/ CAS No. | CAS # | RTECS # | Weight % (dry basis) |
|----------------------|------------|------------|----------------------|
| Sucrose | 57-50-1 | WN6500000 | <= 90.8% |
| Boric Acid | 10043-35-3 | ED4550000 | <= 9.0% |
| Yeast | 68876-77-7 | Not Listed | <= 0.2% |

SECTION 4- FIRST AID MEASURES

Information listed below is based on 99.9% Boric Acid & >99.7% Sucrose. This product contains <= 9.0% Boric Acid & <= 90.8% Sucrose

| HEALTH HAZARDS Avoid contact with eyes. Wash thoroughly after handling. | | |
|---|---|-------------------|
| POTENTIAL HEALTH EFFECTS | ACUTE | CHRONIC |
| 1. INHALATION | Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Get medical attention immediately if symptoms occur. | No Data Available |
| 2. EYE CONTACT | Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned. | No Data Available |
| 3. SKIN | Wash affected area immediately with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothes and wash before reuse. Seek medical attention if discomfort or irritation persists. | No Data Available |
| 4. INGESTION (Swallowing) | Rinse mouth thoroughly. Do not induce vomiting. Call a physician or Poison Control Center immediately. | No Data Available |
| Most important symptoms and effects, both acute and chronic | Irritation, Nausea, Headache, Shortness of breath. Irritation - all routes of exposure. May cause central nervous system effects. Diarrhea. Vomiting; may impair fertility. May cause harm to unborn child. May cause adverse liver and kidney effects | |

SECTION 5 - FIRE-FIGHTING MEASURES

Information listed below is based on 99.9% Boric Acid & >99.7% Sucrose. This product contains 9.0% Boric Acid

| | |
|---|--|
| SUITABLE EXTINGUISHING MEDIA | Dry chemical type preferred. Carbon dioxide, foam, water spray, sand, or earth is also recommended. |
| SPECIFIC PRECAUTIONS AND INSTRUCTIONS FOR FIRE FIGHTERS | Not Available |
| SPECIFIC HAZARDS (Unusual Fire & Explosion Hazards) | The material is slightly flammable to flammable at high temperatures |
| SPECIFIC HAZARDS | Typical Decomposition Products: carbon oxides (CO/CO ₂) |
| EXPLOSION HAZARDS | A mixture of potassium and boric acid may explode on impact. A mixture of boric acid and acetic anhydride will explode when heated to 58-60C |